INDEX

Ahmad, Z. *see* Mirza, A. M. et al.

Alekseeva, L. M. Effective gravity due to the Hall effect and quasi-acoustic–gravity waves in accelerated plasma flows, 671

Allen, J. E. *see* Tanizuka, N. and Allen, J. E.

Bachmann, P. and Sünder, D. One-dimensional multifluid plasma models. Part 1. Fundamentals, 645

Bailung, H. and Nakamura, Y. Oblique collision of plane ion acoustic solitons in a multicomponent plasma with negative ions, 151

Basu, S. (née De) Study of nonlinear four-wave interactions, 771

Batischeva, A. A. *see* Batishchev, O. V. et al.

Batishchev, O. V., Batischeva, A. A. and Kholodov, A. S. Unstructured adaptive grid and grid-free methods for edge plasma fluid simulations, 701

Batishchev, O. V., Shoucri, M. M., Batishcheva, A. A. and Shkarofsky, I. P. Fully kinetic simulation of coupled plasma and neutral particles in scrape-off layer plasmas of fusion devices, 347

Batishcheva, A. A. *see* Batishchev, O. V. et al.

Bertrand, P. *see* Coulaud, O. et al.; Shoucri, M. et al.

Bhaskar, S. *see* Subbarao, D. et al.

Bhattacharyya, B. and Sanyal, U. Generation of axial and lateral magnetic fields in a laser-produced plasma, 21

Brio, M. *see* Webb, G. M. et al.

Bürbaumer, H. *see* Shoucri, M. et al.

Cadjan, M. G. and Ivanov, M. F. Langevin approach to plasma kinetics with Coulomb collisions, 89

Cairns, R. A. Review of *Space Physics. An Introduction to Plasmas and Particles in the Heliosphere and Magnetospheres*, by May-Britt Kallenrode, 365

Castillo, R. *see* Osman, F. et al.

Cho, G. S. *see* Uhm, H. S. et al.

Cho, S.-H. *see* Lee, H. J. and Cho, S.-H.

Choi, E. H. *see* Uhm, H. S. et al.

Chow, V. W. *see* Rosenberg, M. and Chow, V. W.

Chutia, J. *see* Tagare, S. G. and Chutia, J.

Complexity Simulation Group *see* Ishiguro, S. et al.

Coulaud, O., Sonnendrücker, E., Dillon, E., Bertrand, P. and Ghizzo, A. Parallelization of semi-Langrangian Vlasov codes, 435

Dillon, E. *see* Coulaud, O. et al.

El-Zein, Y., Sheridan, T. E., Lonngren, K. E. and Horton, W. Excitation of ion acoustic solitons from grids, 161

Entler, W. *see* Shoucri, M. et al.

Farina, D., Kotelnikov, I. and Pozzoli, R. Dynamics of fast magnetosonic perturbations close to an X–X separatrix, 761

Fijalkow, E. Behaviour of phase-space holes in 2D simulations, 65

Flé, M. *see* Krafft, C. et al.

Galtier, S., Zienicke, E., Politano, H. and Pouquet, A. Parametric investigation of self-similar decay laws in MHD turbulent flows, 507

Ghizzo, A. *see* Coulaud, O. et al.; Shoucri, M. et al.

Goedbloed, J. P. *see* Keppens, R. et al.; Nijboer, R. J. and Goedbloed, J. P.; van der Holst, B. et al.

Hackenberg, P. and Mann, G. Parallel weak envelope solitons in multi-ion plasmas, 633

Hayashi, T. *see* Kanno, R. et al.

Honda, M. *see* Matsui, N. et al.

Honzawa, T., Watanabe, A. S. and Saitou, Y. Plasma cavity formation caused by ion acoustic waves and nonlinear modulation of trapped waves, 489

Hora, H. *see* Osman, F. et al.

Horiuchi, R. and Sato, T. Collisionless magnetic reconnection in the presence of an external driving flow, 415

Horton, W. *see* El-Zein, Y. et al.

Huba, J. D. and Lyon, J. G. A new 3D MHD algorithm: the distribution function method, 391

Infeld, E. Review of *Geoelectromagnetic Waves*, by A. V. Guglielmi and O. A. Pokhotelov, 175

Ishiguro, S., Sato, T., Takamaru, H. and the Complexity Simulation Group. Open boundary particle simulation of electrostatic ion cyclotron instability, 407

Ivanov, M. F. *see* Cadjan, M. G. and Ivanov, M. F.

Kamelander, G. *see* Shoucri, M. et al.

Kanno, R., Nakajima, N., Hayashi, T. and Okamoto, M. Computational study of three-dimensional equilibria with the bootstrap current, 213

Karmesin, S. R. *see* Wang, J. et al.

Keppens, R., Tóth, G., Westermann, R. H. J. and Goedbloed, J. P. Growth and saturation of the Kelvin–Helmholtz instability with parallel and antiparallel magnetic fields, 1

Khattak, N. A. D. *see* Mirza, A. M. et al.

Kholodov, A. S. *see* Batishchev, O. V. et al.

Knorr, G. *see* Shoucri, M. et al.

Kobayashi, T. *see* Naitou, H. et al.

Kondrashov, D. *see* Wang, J. et al.

Kotelnikov, I. *see* Farina, D. et al.

Krafft, C., Volokitin, A. and Flé, M. Nonlinear dynamics of electron bunches in the presence of dissipative effects, 275

Lebas, J. *see* Shoucri, M. et al.

Lee, H. J. and Cho, S.-H. Response to 'Comment on "Boundary conditions for surface waves propagating along the interface of plasma flow and free space"', 173

Liewer, P. C. *see* Wang, J. et al.

Lonngren, K. E. *see* El-Zein, Y. et al.

Lyon, J. G. *see* Huba, J. D. and Lyon, J. G.

Manfredi, G. Slowly decaying drift turbulence with wave effects, 601

Manfredi, G. *see* Shoucri, M. et al.

Mann, G. *see* Hackenberg, P. and Mann, G.

Matsui, N., Mima, K., Honda, M. and Nishiguchi, A. Analysis of rippled shock-wave propagation and ablation-front stability by theory and hydrodynamic simulation, 43

Mima, K. *see* Matsui, N. et al.

Mirza, A. M., Ahmad, Z., Khattak, N. A. D. and Murtaza, G. Radiative collapse in an impurity-seeded spinning gas-puff staged pinch, 77

Moslem, W. M. Propagation of ion acoustic waves in a warm multicomponent plasma with an electron beam, 177

Murtaza, G. *see* Mirza, A. M. et al.

Naitou, H., Kobayashi, T. and Tokuda, S. Mobilization of the kinetic internal kink mode by a sheared poloidal flow, 543

Nakajima, N. *see* Kanno, R. et al.

Nakamura, Y. *see* Bailung, H. and Nakamura, Y.

Nijboer, R. J. and Goedbloed, J. P. Mode coupling in two-dimensional magneto-hydrodynamic flows, 241

Nijboer, R. J. *see* van der Holst, B. et al.

Nishiguchi, A. *see* Matsui, N. et al.

Núñez, M. Stability of static current sheets connecting plane magnetic null points, 623

Oien, A. H. Transition from collision-dominated to collisionless regions in a plasma: a global distribution function for outflowing light ions in polar regions of the ionosphere – analytical approach, 735

Okamoto, M. *see* Kanno, R. et al.

Osman, F., Castillo, R. and Hora, H. Relativistic and ponderomotive self-focusing at laser–plasma interaction, 263 [Corrigendum, 669]

Pohn, E. *see* Shoucri, M. et al.

Politano, H. *see* Galtier, S. et al.

Pouquet, A. *see* Galtier, S. et al.

Pozzoli, R. *see* Farina, D. et al.

Pukhov, A. Three-dimensional electromagnetic relativistic particle-in-cell code VLPL (Virtual Laser Plasma Lab), 425

Rosenberg, M. and Chow, V. W. Collisional effects on the electrostatic dust cyclotron instability, 51

Rowe, E. T. Waves in a time-dependent magnetized electron–positron plasma, 135

Saitou, Y. *see* Honzawa, T. et al.

Sanyal, U. *see* Bhattacharyya, B. and Sanyal, U.

Sato, T. *see* Horiuchi, R. and Sato, T.; Ishiguro, S. et al.

Sheridan, T. E. *see* El-Zein, Y. et al.

Shin, H. M. *see* Uhm, H. S. et al.

Shkarofsky, I. P. Single-integral expressions for electron cyclotron damping, relativistically and with an arbitrary distribution function, 107

Shkarofsky, I. P. Expansions of the mildly relativistic dispersion function for nearly perpendicular electron cyclotron ray tracing, 121

Shkarofsky, I. P. *see* Batishchev, O. V. et al.

Shoucri, M. Comment on 'Boundary conditions for surface waves propagating along the interface of plasma flow and free space', 169

Shoucri, M., Manfredi, G., Bertrand, P., Ghizzo, A., Lebas, J., Knorr, G., Sonnendrucker, E., Bürbaumer, H., Entler, W., Kamelander, G. and Pohn, E. Charge-separation velocity shear and suppression of turbulence at a plasma edge in the gyrokinetic approximation, 191

Shoucri, M. M. *see* Batishchev, O. V. et al.

Singh, H. *see* Subbarao, D. et al.

Sonnendrücker, E. *see* Coulaud, O. et al.; Shoucri, M. et al.

Stenflo, L. Theory of stimulated scattering of large-amplitude waves, 129

Subbarao, D., Singh, H., Bhaskar, S. and Uma, R. Computer simulation of laser-beam self-focusing in a plasma, 449

Sünder, D. *see* Bachmann, P. and Sünder, D.

Tagare, S. G. and Chutia, J. Dust acoustic solitons in a two-ion-temperature plasma with isothermal ions and warm adiabatic dusty fluid, 723

Takamaru, H. *see* Ishiguro, S. et al.

Tanizuka, N. and Allen, J. E. On the theory of plasma–sheath resonance in a non-uniform plasma, 469

Tokuda, S. *see* Naitou, H. et al.

Tóth, G. *see* Keppens, R. et al.

Uhm, H. S., Choi, E. H., Shin, H. M. and Cho, G. S. Influence of ion density on electron-beam propagation from a gas-filled diode, 31

Uma, R. *see* Subbarao, D. et al.

van der Holst, B., Nijboer, R. J. and Goedbloed, J. P. Magnetohydrodynamic spectrum of gravitating plane plasmas with flow, 221

Volokitin, A. *see* Krafft, C. et al.

Wang, J., Kondrashov, D., Liewer, P. C. and Karmesin, S. R. Three-dimensional deformable-grid electromagnetic particle-in-cell for parallel computers, 367

Watanabe, A. S. *see* Honzawa, T. et al.

Webb, G. M., Zakharian, A., Brio, M. and Zank, G. P. Wave interactions in magnetohydrodynamics, and cosmic-ray-modified shocks, 295

Webb, G. M., Zakharian, A. and Zank, G. P. Wave mixing and instabilities in cosmic-ray-modified shocks and flows, 553

Westermann, R. H. J. *see* Keppens, R. et al.

Zakharian, A. *see* Webb, G. M. et al.

Zank, G. P. *see* Webb, G. M. et al.

Zienicke, E. *see* Galtier, S. et al.